Contents

Foreword v

5. RAPID SOLIDIFICATION PROCESSING

High performance aerospace alloys via rapid solidification processing 1
S. K. Das and L. A. Davis (Morristown, NJ, U.S.A.)

Solidification on a substrate 13
R. E. Maringer (Columbus, OH, U.S.A.)

Fundamental experimental parameters in the direct wire-casting process 21
J. Liu, L. Arnberg, N. Bäckström and S. Savage (Stockholm, Sweden)

Development of a rapid solidification process with a double-roller method 25
K. Shibuya, F. Kogiku, M. Yukumoto, S. Miyake, M. Ozawa and T. Kan (Chiba, Japan)

Infrared measurements of the melt puddle in planar flow casting 29
G. Stephani, H. Mühlbach, H. Fiedler and G. Richter (Dresden, G.D.R.)

Characteristics of Ni_3Al+Fe powders produced by spark erosion quenching 33
R. W. Cahn (Cambridge, U.K.), J. L. Walter and D. W. Marsh (Schenectady, NY, U.S.A.)

Measurements of ultrarapid solidification rates in greatly undercooled bulk melts with a high speed photosensing device 39
E. Schleip, R. Willnecker, D. M. Herlach and G. P. Görler (Cologne, F.R.G.)

Fluid flow behaviour and solidification studies during ultrasonic gas atomization 43
J. Liu, L. Arnberg, N. Bäckström, H. Klang and S. Savage (Stockholm, Sweden)

Process control during high pressure atomization 47
S. D. Ridder and F. S. Biancaniello (Gaithersburg, MD, U.S.A.)

Co–Cr thin film preparation by facing targets sputtering 53
Y. Niimura, S. Nakagawa and M. Naoe (Tokyo, Japan)

Formation of metastable structures and amorphous phases in plutonium-based systems using the triode sputtering technique ... 57
H. F. Rizzo, A. W. Echeverria, W. L. Wien (Livermore, CA, U.S.A.) and T. B. Massalski (Pittsburgh, PA, U.S.A.)

The microstructure of rapidly solidified Al–Cr–Fe powder 61
P. S. Goodwin, P. Tsakiropoulos and N. Saunders (Guildford, U.K.)

Pressure characteristics at the pour-tube orifice in ultrasonic gas atomization 65
J. Baram (Beer-Sheva, Israel)

Computer modelling of ribbon formation in the melt spinning of crystalline metals 71
Z. Sun and H. A. Davis (Sheffield, U.K.)

Fe–6.5wt.%Si ribbons prepared by the single- and double-roller techniques: a comparative study of ribbon formation and microstructural peculiarities 75
J. Branžovsky (Ostrava, Czechoslovakia), M. Jurisch (Dresden, G.D.R.), V. V. Maslov (Kiev, U.S.S.R.), W. Neumann (Dresden, G.D.R.), V. K. Nosenko (Kiev, U.S.S.R.), R. Sellger (Dresden, G.D.R.) and G. Richter (Riesa, G.D.R.)

Preparation and IR properties of crystalline and amorphous tungsten and WSi_2 films 79
M. Kadri, A. Deneuville and M. Brunel (Grenoble, France)

Nucleation in bulk undercooled nickel-base alloys 85
R. Willnecker, D. M. Herlach and B. Feuerbacher (Köln, F.R.G.)

Effects of process parameters on melt-spun Ag–Cu 89
D. J. Thoma (Madison, WI, U.S.A.), T. K. Glasgow, S. N. Tewari (Cleveland, OH, U.S.A.), J. H. Perepezko (Madison, WI, U.S.A.) and N. Jayaraman (Cincinnati, OH, U.S.A.)

An infrared thermography study of the temperature variation of an amorphous ribbon during production by planar flow casting 95
P. Cremer (Imphy, France) and J. Bigot (Vitry-sur-Seine, France)

Containerless solidification of alloys in a drop-tube 99
R. F. Cochrane, P. V. Evans and A. L. Greer (Cambridge, U.K.)

Metastable phases formed by nanosecond laser-quenching of metals and binary alloys 105
S. Vitta, A. L. Greet and R. E. Somekh (Cambridge, U.K.)

Some considerations on wetting behaviour in liquid-alloy–substrate-metal systems 111
H. Miura, S. Isa and K. Omuro (Amagasaki, Japan)

A technique for evaluating aluminium alloys for high pressure gas atomization 115
N. J. E. Adkins, P. S. Goodwin and P. Tsakiropoulos (Guildford, U.K.)

Production of rapidly solidified Al–Pb–Cu alloy by liquid stirring ultrasonic gas atomization and liquid dynamic compaction .. 119
Y.-C. Zhang, Y.-Y. Hao, Z.-F. Liu and G.-Y. Chen (Shenyang, China)

© Elsevier Sequoia/Printed in The Netherlands

6. MICROSTRUCTURE OF RAPIDLY SOLIDIFIED ALLOYS

Microstructural variations in rapidly solidified alloys 123
W. J. Boettinger (Gaithersburg, MD, U.S.A.)

The microstructure of rapidly solidified and heat-treated Al–8Fe–2Mo–Si alloys 131
V. K. Vasudevan and H. L. Fraser (Urbana, IL, U.S.A.)

Structure, properties and fracture of electron beam welds in RS-PM Al–8Fe–Mo 137
S. Krishnaswamy and W. A. Baeslack III (Columbus, OH, U.S.A.)

Development of Al–Cr–X and Al–Cr–Zr–X alloys by rapid solidification from the melt 143
P. Tsakiropoulos, R. C. Pratt, H. Jones (Sheffield, U.K.), J. E. Restall and R. W. Gardiner (Farnborough, U.K.)

Microstructural characterization of rapidly solidified Al–Si alloys 149
N. Apaydin and R. W. Smith (Kingston, Canada)

Microstructure development in undercooled Al–Al_2Cu alloys 153
B. A. Mueller (Columbus, OH, U.S.A.) and J. H. Perepezko (Madison, WI, U.S.A.)

A close-packed phase with a seven-layer repeat unit prepared by rapid solidification: m-$Nb(Rh_{0.60}Pd_{0.40})_3$ 157
M. X. Quan, P. Haldar and B. C. Giessan (Boston, MA, U.S.A.)

Microstructural stability of rapidly-solidified Cu–B alloys 161
E. Batawi, M. A. Morris and D. G. Morris (Neuchatel, Switzerland)

Rapidly solidified tungsten-based alloys 165
J. C. Lasalle, D. Raybould, E. V. Limoncelli, S. K. Das (Morristown, NJ, U.S.A.) and S. Cytron (Picatinny Arsenal, NJ, U.S.A.)

Long-range ordering in rapidly quenched Ti–Al compounds 169
Z. X. Li, Z. C. Li and S. H. Whang (Brooklyn, NY, U.S.A.)

Microstructural coarsening at high temperatures in rapidly solidified Ti–5wt.%Al–2.9wt.%Y and Ti–5wt.%Al–7.5wt.%Th 173
S. H. Whang (Brooklyn, NY, U.S.A.), W. W. Park, P. K. Kim and D. H. Kim (Seoul, South Korea)

Precipitation hardening in rapidly quenched Ti–Zr–B alloys 179
Y. Z. Lu, B. C. Giessen (Boston, MA, U.S.A.) and S. H. Whang (Brooklyn, NY, U.S.A.)

The annealing behaviour of rapid solidification processed Al–Mo alloys 185
C. P. Chang and M. H. Loretto (Birmingham, U.K.)

Microstructural stability of rapidly quenched Al–Fe alloys: influence of zirconium 191
G. Vigier, U. Ortiz-Mendez, P. Merle, G. Thollet and F. Fouquet (Villeurbanne, France)

An investigation of a rapidly solidified Al–Cr alloy using field ion microscopy–atom probe analysis and high resolution electron microscopy 197
B. A. Shollock, A. Cerezo, E. D. Boyes, B. Cantor and G. D. W. Smith (Oxford, U.K.)

Effect of solidification front velocity on the characteristics of aluminium-rich Al–Mn alloy solutions extended by rapid solidification 201
J. A. Juarez Islas, H. Jones and W. Kurz (Sheffield, U.K.)

Rapid solidification of aluminium-rich Al–V alloys 207
Y.-W. Kim and F. H. Froes (Dayton, OH, U.S.A.)

Solidification of an "amorphous" phase in rapidly solidified Al–Fe–Si alloys 213
L. A. Bendersky (Gaithersburg, MD, U.S.A.), M. J. Kaufman (Seattle, WA, U.S.A.), W. J. Boettinger and F. S. Biancaniello (Gaithersburg, MD, U.S.A.)

Rapid solidification of peritectic aluminium alloys 217
N. J. E. Adkins, N. Saunders and P. Tsakiropoulos (Guildford, U.K.)

Microstructure of rapidly solidified aluminum alloy powders for elevated temperature applications 221
M. A. Zaidi (Alcoa Center, PA, U.S.A.)

Evaluation of aluminum and nickel alloy materials produced by spray deposition 227
M. G. Chu, D. K. Denzer, A. K. Chakrabarti and F. R. Billman (Alcoa Center, PA, U.S.A.)

Study of small-angle X-ray scattering of Al–Ag alloys quenched from the liquid state 233
A. Naudon and T. Slimani (Poitiers, France)

Microstructures of rapidly quenched Ti–V–Cr–Er alloys 239
A. G. Jackson, M. Gutierrez, F. H. Froes (Dayton, OH, U.S.A.) and R. G. Rowe (Schenectady, NY, U.S.A.)

The effect of liquid phase separation on the microstructure of rapidly solidified titanium–rare earth alloys 243
S. A. Court, J. W. Sears, M. H. Loretto and H. L. Fraser (Urbana, IL, U.S.A.)

Microstructural study of rapidly solidified titanium eutectoid alloys 251
T. A. Bhaskaran, R. Seshadri, R. V. Krishnan and S. Ranganathan (Bangalore, India)

The influence of Nb addition on structure and properties of rapidly solidified intermetallics 257
G. Venketaraman, A. G. Jackson, K. R. Teal and F. H. Froes (Dayton, OH, U.S.A.)

Pathways for microstructural development in TiAl 265
J. A. Graves (Madison, WI, U.S.A.), L. A. Bendersky, F. S. Biancaniello (Gaithersburg, MD, U.S.A.), J. H. Perepezko (Madison, WI, U.S.A.) and W. J. Boettinger (Gaithersburg, MD, U.S.A)

Tetragonal distortion and its relaxation in rapidly quenched $L1_0$ TiAl compounds 269
S. H. Whang and Z. X. Li (Brooklyn, NY, U.S.A.)

Rapid solidification and ordering of B2 and $L2_1$ phases in the NiAl–NiTi system 273
W. J. Boettinger, L. A. Bendersky, F. S. Biancaniello and J. W. Cahn (Gaithersburg, MD, U.S.A.)

Rapidly solidified Fe–Ni–Al–C alloys: metastable phase formation 277
H. T. Chen, S. A. Meyers and C. C. Koch (Raleigh, NC, U.S.A.)

The effect of rapid solidification on the order–disorder transformation in iron-based alloys 281
K. Raviprasad and K. Chattopadhyay (Bangalore, India)

Structures and properties of rapidly solidified Fe–Ni–Cr–C-based alloys 285
C. N. Elliot, H. A. Davies and G. W. Greenwood (Sheffield, U.K.)

Amorphization of a metalloid-rich ferritic steel by a continuous CO_2 laser: a microstructural investigation 291
E. Gaffet, G. Deluze, G. Martin (Vitry-sur-Seine, France), J. M. Pelletier (Villeurbanne, France) and D. Pergue (Chatillon, France)

The solidification structures of planar flow cast Fe–(20–47)at.%Al ribbons 295
E. Vogt, G. Frommeyer, J. E. Wittig (Düsseldorf, F.R.G.) and H. Sassik (Vienna, Austria)

Microstructure of rapidly solidified stainless steel 301
E. Johnson, L. Gråbæk, A. Johansen, L. Sarholt Kristensen (Copenhagen, Denmark) and J. V. Wood (Milton Keynes, U.K.)

Laser surface melting of a pearlitic grey cast iron 305
F. Fouquet and E. Szmatula (Villeurbanne, France)

Microstructure characterization and stability of rapidly solidified Ni–Au and Rh–Cu alloys 309
L. Irons, S. Mini and W. E. Brower, Jr. (Carbondale, IL, U.S.A.)

Structure and properties of rapidly solidified magnesium–silicon alloys 313
F. C. Grensing and H. L. Fraser (Urbana, IL, U.S.A.)

Structures in rapidly solidified zinc 321
M. V. Akdeniz, C. N. Reid and J. V. Wood (Milton Keynes, U.K.)

Formation of metastable Nb–Si phases by picosecond and nanosecond pulsed laser quenching 325
W.-K. Wang, C. J. Lobb and F. Spaepen (Cambridge, MA, U.S.A.)

The effects of non-equilibrium processing in the development of copper alloys 329
A. N. Patel and S. Diamond (Columbus, OH, U.S.A.)

Reduced segregation in rapidly solidified Cu–Ni–Sn alloys 335
L. E. Collins and J. R. Barry (Ottawa, Canada)

Comparison of microstructures and solidification behaviour of melt-spun Cu–Ni ribbons and bulk undercooled Cu–Ni alloys 339
C. Caesar, U. Köster (Dortmund, F.R.G.), R. Willnecker and D. M. Herlach (Köln, F.R.G.)

Non-equilibrium Ag–TM alloys produced by vapour quenching (TM ≡ Cr, Mn, Fe and Co) 343
K. Sumiyama, N. Kataoka and Y. Nakamura (Kyoto, Japan)

Structure and properties of rapidly quenched microcrystalline alloys with immiscible elements: the case of superconducting Pb–Bi–Ge 347
F. Weiss, B. Obst (Karlsruhe, F.R.G.) and A. R. Yavari (Saint-Martin-d'Hères, France)

Solidification phenomena in formation process of rapidly solidified metallic wire 351
Y. Abe, K.-I. Miyazawa and M. Nakamura (Kawasaki, Japan)

Modelling of crystal growth and solute redistribution during rapid solidification 357
P. V. Evans and A. L. Greer (Cambridge, U.K.)

Age hardening response in rapidly quenched molybdenum alloys 363
Y. T. Ning, S. H. Whang (Brooklyn, NY, U.S.A.), S. C. Hsu and R. V. Raman (Waltham, MA, U.S.A.)

Non-equilibrium interface kinetics during rapid solidification: theory and experiment 369
M. J. Aziz (Cambridge, MA, U.S.A.)

Structural investigations of rapidly quenched Nb–(0–50)at.%Co alloys 373
H. Schlüter, G. V. S. Sastry and H. C. Freyhardt (Göttingen, F.R.G.)

Atomic structures of unconventional solid solutions 377
M. A. Marcus (Murray Hill, NJ, U.S.A.) and C. L. Tsai (St. Paul, MN, U.S.A.)

7. CONSOLIDATION AND FORMING OF RAPIDLY SOLIDIFIED ALLOYS

Spray deposition of metals: a review 381
E. J. Lavernia and N. J. Grant (Cambridge, MA, U.S.A.)

Microstructure of Ti_3Al+Nb alloys produced via rapid solidification processing 395
S. C. Jha, R. Ray and P. J. Clemm (North Billerica, MA, U.S.A.)

Warm consolidation of spray-quenched amorphous Ni–Fe-based alloy powders 399
K. Omuro, H. Miura, S. Isa and K. Ikuta (Amagasaki, Japan)

Stress-assisted laser cutting of amorphous alloys 403
A. I. Taub and P. G. Frischmann (Schenectady, NY, U.S.A)

Joining mechanism of ceramics to metals using an amorphous titanium-based filler metal 407
M. Naka, I. Okamoto and Y. Arata (Osaka, Japan)

Consolidation of rapidly solidified Cu–Ni powders 411
S. H. Lo, W. M. Gibbon (Mississauga, Ontario, Canada) and R. S. Hollingshead (Atlantic, Canada)

Preparation of bulk amorphous alloys by high temperature sintering under a high pressure 415
Y. Kawamura, M. Takagi (Kariya City, Japan), M. Senoo (Tsu City, Japan) and T. Imura (Nagoya, Japan)

Hot extrusion and mechanical properties of rapidly solidified Al and Cu alloy powders 419
J. Liu, U. Backmark, L. Arnberg, N. Bäckström, O. Grinder and S. Savage (Stockholm, Sweden)

Dependence of the ion milling rate of liquid-quenched stainless steel on the cooling condition 425
N. Inoue, Y. Sekiguchi, T. Shima and Y. Nishi (Hiratsuka, Japan)

Ion milling of liquid-quenched glasses 429
N. Inoue, T. Shima and Y. Nishi (Hiratsuka, Japan)

Modifications to high speed steels by rapid solidification 433
J. V. Wood (Milton Keynes, U.K.), A. Horlock (Nottingham, U.K.), J. V. Bee (Adelaide, Australia)

Microstructural development in a rapidly solidified Al–5Mn–2.5Cr alloy 437
P. Liu, G. L. Dunlop (Göteborg, Sweden) and L. Arnberg (Stockholm, Sweden)

Properties of equiatomic TiNi alloy produced by rapid solidification 443
M. Igharo and J. V. Wood (Milton Keynes, U.K.)

A newly developed extrusion technique for compacting amorphous alloy powders 449
Y. Kawamura, M. Takagi, M. Akai, (Aichi, Japan) and T. Imura (Nagoya, Japan)

Grinding pecularities of rapidly quenched powders 453
V. A. Vasiljev, B. S. Mitin, V. M. Archangelsky and A. A. Skuridin (Moscow, U.S.S.R.)

Preparation of bulk amorphous alloys by explosive consolidation and properties of the prepared bulk 457
M. Takagi, Y. Kawamura, M. Araki, Y. Kuroyama (Aichi, Japan) and T. Imura (Nagoya, Japan)

Explosive compaction of metallic glass powders 461
R. Prümmer (Freiburg, F.R.G.)

8. MECHANICAL PROPERTIES

Negative creep and mechanochemical spinodal in amorphous metals 465
J. C. M. Li (Rochester, NY, U.S.A.)

On improvement in the mechanical properties of rapidly solidified shape memory alloys 469
S. Eucken, P. Donner and E. Hornbogen (Bochum, F.R.G.)

Tensile and fatigue properties of two high-strength aluminum alloys prepared by rapid solidification technology 475
S. C. Jha and R. Ray (North Billerica, MA, U.S.A.)

Mechanical properties of rapidly solidified copper alloys: dependence on composition and microstructure 479
M. A. Morris, E. Batawi and D. G. Morris (Neuchâtel, Switzerland)

Structure of magnetic domains surrounding metallic glass shear bands 483
V. Lakshmanan and J. C. M. Li (Rochester, NY, U.S.A.)

Compressive deformation of amorphous $Pd_{40}Ni_{40}P_{20}$ 487
P. E. Donovan (Cambridge, U.K.)

Absence of thermal embrittlement in some Fe–B and Fe–Si–B glassy alloys 491
A. R. Yavari (Saint-Martin-d'Hères, France)

Influence of phosphorus and sulphur additions on the mechanical, surface and thermal properties of $Fe_{78}B_{13}Si_9$ amorphous alloy 495
L. Bresson, M. Harmelin, J. Bigot (Vitry-sur-Seine, France) and J.-C. Joud (Saint-Martin-d'Hères, France)

Fatigue crack propagation in an $Ni_{78}Si_{10}B_{12}$ metallic glass with amorphous and partially crystalline structures 501
A. T. Alpas, L. Edwards and C. N. Reid (Milton Keynes, U.K.)

Effects of peening on resistance to plastic deformation in a metallic glass 505
Y. Nishi, H. Harano, H. Ishizuki, M. Kawakami and E. Yajima (Hiratsuka, Japan)

Shape memory effects in rapidly quenched Cu–12%Al and Cu–12%Al–1%Si alloys 509
S. Fujiwara and S. Miwa (Kochi, Japan)

High ductility and shape memory effect on rapidly solidified B-2 compounds in the Ni–Fe–Al system 515
S. Furukawa, A. Inoue and T. Masumoto (Sendai, Japan)

Internal stress in IBS films 519
H. Kondo and T. Mizoguchi (Tokyo, Japan)

Surface deformation and bubble growth in amorphous alloys due to noble gas implantations 523
G. Knuyt, M. D'Olieslaeger, L. de Schepper and L. M. Stals (Diepenbeek, Belgium)

Calculation of elastic constants for an amorphous metal 527
G. Knuyt, L. de Schepper and L. M. Stals (Diepenbeek, Belgium)

Microstructure and mechanical properties of TiN precipitation-hardened 316L stainless steel produced by hot extrusion of rapidly solidified powder 531
Y.-Z. Li, L. Arnberg, S. Savage (Stockholm, Sweden)

Effects of quenching rate on properties and structures of amorphous alloys 535
J.-T. Wang, D.-X. Pang, Q.-H. Song and B.-Z. Ding (Shenyang, China)

Mechanical and magnetic properties of amorphous FeCrPC ribbons and wires 539
B. de Guillebon (Pont-à-Mousson, France), M. Henry, G. Le Gal (Le Mans, France) and C. Tete (Pont-à-Mousson, France)

Enhanced strength in high conductivity copper alloys 543
M. J. Tenwick and H. A. Davis (Sheffield, U.K.)

The role of interfaces in the application of rapidly solidified metal ribbons as reinforcements for composites 547
A. Ruutopold, R. A. Varin (Waterloo, Canada) and Z. Wronski (Ottawa, Canada)

EXAFS study on mechanical deformation for Pd–Si amorphous alloy 553
T. Nasu, K. Nagaoka (Yamagata, Japan), M. Sakurai, T. Fukunaga, F. Itoh and K. Suzuki (Sendai, Japan)

AUTHOR INDEX 559

A Cumulative Subject Index covering Volumes 97–99 will appear in Volume 99.